


1/11


Figure 1



05101" 86482660

2/11


Figure 2



705701" B54B.660

3/11


Figure 3



4/11

Figure 4


**One Hour Kinetic Assay Detection of Caspase 3: DMSO
Concentration Effect as Added with 30 mM Final Cell Probe**



5/11

Figure 5

HeLa Caspase 6 CellProbe 1 Hour Assay:
DMSO and a Potassium Glutamate Titration Enhancement of Fluorescence Signal




POST 85484660

6/11

Figure 6A

HeLa 1 Hour Caspase 3 Assay: Signal Ratio of 10 mM Cbz CellProbe
Substrate with Mono Potassium Glutamate Additive Titration




105101" 85482660

7/11

Figure 6B


HeLa Caspase 3, 1 Hour Assay:
DMSO Optimum Additive Titration with Cbz(DEVD)₂Rho110 Substrate



8/11

Figure 6C


**HeLa Caspase 3, 1 Hour Assay, DMSO Optimum
Additive Titration with [Cbz(DEVD)₂]₂Rho110**



9/11

Figure 7


HeLa Caspase 6 CellProbe 1 Hour Assay:
Glycerol and Betaine Titration Signal Ratios



10/11

Figure 8

HeLa 1 Hour Caspase 3 Assay: Signal Ratio of 10 μ M Cbz CellProbe Substrate with Betaine
Additive Titration



POSTED 8/18/2000

11/11

Figure 9

CellProbe Caspase 6 Assay with Added Compounds For Signal Enhancement Determination

